| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| | | (wild NEAR4 card$1 NEAR$4 rang$3 ) and (sub$5 NEAR4 number$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/07 10:55 |
| | | (wild NEAR4 card$1 NEAR$4 rang$4 ) and (sub$5 NEAR4 number$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 14:21 |
| L1 | 322 | (((data adj compression$3) same database ) and memory) and range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| L2 | 482 | ((data adj compression$3) same database ) and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| L3 | 322 | (((data adj compression$3) same database ) and memory) and range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| L4 | 643 | (wildcard$2 OR wild-card$4) AND (ip! ADJ3 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| L5 | 167 | (wildcard$2 OR wild-card$4) AND (sort$3 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| L6 | 59 | ((wildcard$3 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 14:21 |

| L7 | 1 | ((wildcard$3 OR wild-card$3) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| L8 | 171 | (wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| L9 | 1 | (((((data near3 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| L10 | 2599 | (wildcard$3 OR wild-card$4) AND number$2 AND data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| L11 | 1 | (((((data near3 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |

| L12 | 27 | (represent$3 near3 (wildcard$2 or wild-card$4)) same determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:23 |
|---|---|---|---|---|---|---|
| L13 | 1 | (((((data near3 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:23 |
| S1 | 120 | ((data-base) or (data adj base) or (database)) same wildcard$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:51 |
| S2 | 212 | "707"/.ccls. and wildcard$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 11:28 |
| S3 | 610 | 707/6.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 13:47 |
| S4 | 19582 | data adj compression$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 13:34 |
| S5 | 265 | (data adj compression$2) same database | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 13:35 |
| S6 | 210 | ((data adj compression$2) same database ) and memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |

| S7 | 5 | ((((data adj compression$2) same database ) and memory) and range) and wild$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 13:38 |
|---|---|---|---|---|---|---|
| S8 | 132 | (((data adj compression$2) same database ) and memory) and range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| S9 | 813 | 707/101.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 14:33 |
| S10 | 114 | (wildcard$2 OR wild-card$4) AND (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| S11 | 25 | (wildcard$2 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:21 |
| S12 | 364 | 370/397.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 15:09 |
| S13 | 90 | 370/397.ccls. and IP! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 15:17 |
| S14 | 35 | 370/399.ccls. and IP! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 15:19 |
| S15 | 517 | 370/401.ccls. and IP! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 15:19 |
| S16 | 59 | 370/409.ccls. and IP! | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/26 15:19 |

| S17 | 829 | wildcard$2 OR wild-card$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/27 09:33 |
|---|---|---|---|---|---|---|
| S18 | 718 | (wildcard$2 OR wild-card$4) AND number$2 AND data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:51 |
| S19 | 92 | (wildcard$2 OR wild-card$4) SAME number$2 SAME data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/27 11:15 |
| S20 | 44 | determin$4 near5 (wildcard$2 or wild-card$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/27 12:41 |
| S21 | 2 | ("6138123").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/27 12:44 |
| S22 | 69 | represent$4 near3 (wildcard$2 or wild-card$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/27 12:47 |
| S23 | 65 | (represent$4 near3 (wildcard$2 or wild-card$4)) and determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S24 | 14 | (represent$4 near3 (wildcard$2 or wild-card$4)) same determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S25 | 2 | ("6151631").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/28 12:46 |

| S26 | 2 | ("6026398").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/28 12:49 |
|---|---|---|---|---|---|---|
| S27 | 2 | ("6263341").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/28 12:49 |
| S28 | 3 | telephone near5 wildcards | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/02/28 12:51 |
| S29 | 3034154 | wild NEAR4 card$1 NEAR$4 rang$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/07/09 14:03 |
| S30 | 1051 | (wildcard$2 OR wild-card$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/09/06 14:16 |
| S31 | 5 | ((wildcard$2 OR wild-card$4) ) near5 rang$4 near5 number$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/09/06 14:20 |
| S32 | 8 | ((wildcard$2 OR wild-card$4) ) near10 rang$4 near10 number$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2002/09/06 14:21 |
| S33 | 2913 | (wildcard$1 wild-card$1 (wild near2 card$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/01 09:07 |
| S34 | 29 | ((wildcard$1 wild-card$1 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/01/20 14:52 |
| S35 | 226 | ((database) or (data adj base) or (database)) same wildcard$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/07/07 10:51 |

| S36 | 321 | (wildcard$2 or wild-card$4) AND (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2003/07/07 10:51 |
|---|---|---|---|---|---|---|
| S37 | 90 | (wildcard$2 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| S38 | 3319197 | wild NEAR4 card$1 NEAR$4 rang$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/07 10:53 |
| S39 | 30 | ((wildcard$1 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/21 14:21 |
| S40 | 30 | ((wildcard$1 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/07/07 10:55 |
| S41 | 18 | (represent$3 near3 (wildcard$2 or wild-card$4)) same determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S42 | 265 | ((data-base) (data adj base) or (database)) same wildcard$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:51 |
| S43 | 114 | (wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S44 | 138 | (represent$3 near3 (wildcard$2 or wild-card$4)) and determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S45 | 114 | (wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |

| S46 | 36 | ((wildcard$3 wild-card$1 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/01/20 14:52 |
|-----|------|------|------|------|------|------|
| S47 | 36 | ((wildcard$3 wild-card$1 (wild near2 card$1))) and (four near3 rang$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/01/20 14:52 |
| S48 | 19 | (represent$4 near3 (wildcard$2 or wild-card$4)) same determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:23 |
| S49 | 114 | (wildcard$4 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S50 | 19 | (represent$3 near3 (wildcard$2 or wild-card$4)) same determin$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S51 | 114 | (wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:52 |
| S52 | 1817 | (wildcard$4 OR wild-card$4) AND number$2 AND data | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| S53 | 114 | (wildcard$3 wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/01/20 14:53 |
| S54 | 432 | (((data near4 compression$2) same database ) and memory) and range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |
| S55 | 143 | (wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |

| S56 | 0 | ((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |
|------|------|------|------|------|------|------|
| S57 | 143 | (wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |
| S58 | 646 | ((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |
| S59 | 0 | ((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |
| S60 | 3679271 | wild NEAR3 card$1 NEAR$4 rang$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/07/09 14:03 |
| S61 | 0 | ((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:23 |

| S62 | 0 | (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/07/09 14:03 |
| S63 | 0 | ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and ((((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2))) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and (((((data near4 compression$2) same database ) and memory) and range) and ((wildcard$3 OR wild-card$4) AND (sort$5 OR range$2 OR ordered!) SAME (ip! ADJ2 address$2)) and3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/21 14:22 |